



Polityka plików cookie

Niniejsza Polityka plików cookie wyjaśnia, w jaki sposób Rubix Polska S.A. („Firma”, „my”, „nas” i „nasza”) wykorzystuje pliki cookie i podobne technologie, aby rozpoznać użytkownika podczas odwiedzania naszej witryny zlokalizowanej pod adresem <https://pl.rubix.com> („Witryna internetowa”). Tłumaczy, czym są te technologie i dlaczego ich używamy, a także opisuje prawa użytkownika do kontrolowania naszego korzystania z nich. W niektórych przypadkach możemy używać plików cookie do gromadzenia danych osobowych lub korzystać z informacji, które stają się danymi osobowymi jeśli połączymy je z innymi informacjami.

Czym są pliki cookie?

Pliki cookie to małe pliki danych, które są umieszczane na komputerze lub urządzeniu mobilnym użytkownika podczas odwiedzania strony internetowej. Pliki cookie są powszechnie wykorzystywane przez właścicieli witryn internetowych w celu usprawnienia ich działania lub zwiększenia ich wydajności, a także w celu dostarczania informacji sprawozdawczych.

Pliki cookie ustawione przez właściciela witryny (w tym przypadku Rubix Polska S.A.) nazywane są „własnymi plikami cookie”. Pliki cookie ustawione przez strony inne niż właściciela witryny są nazywane „plikami cookie stron trzecich”. Pliki cookie stron trzecich umożliwiają dostarczanie funkcji lub funkcjonalności stron trzecich na lub za pośrednictwem strony internetowej (np. reklamy, treści interaktywne i analizy). Strony, które ustawiają pliki cookie stron trzecich mogą rozpoznać komputer użytkownika zarówno wtedy, gdy odwiedza on daną witrynę internetową a także podczas odwiedzania niektórych innych witryn internetowych.

Dlaczego korzystamy z plików cookie?

Używamy własnych i zewnętrznych plików cookie z kilku powodów. Niektóre pliki cookie są wymagane z przyczyn technicznych, aby nasza Witryna mogła działać, i określamy je jako „niezbędne” lub „ściśle niezbędne” pliki cookie. Inne pliki cookie umożliwiają nam również śledzenie i kierowanie zainteresowań naszych użytkowników w celu poprawy komfortu korzystania z naszych właściwości online. Podmioty zewnętrzne obsługują pliki cookie za pośrednictwem naszej Witryny w celach reklamowych, analitycznych i innych. Zostało to opisane bardziej szczegółowo poniżej.



Jak można kontrolować pliki cookie?

Użytkownik ma prawo decydować o zaakceptowaniu lub odrzuceniu plików cookie. Użytkownik może skorzystać z przysługujących mu praw ustawiając swoje preferencje w Managerze zgody na pliki cookie. Manager zgody na pliki cookie pozwala wybrać kategorie plików cookie, które użytkownik akceptuje lub odrzuca. Niezbędne pliki cookie nie mogą zostać odrzucone, ponieważ są niezbędne do świadczenia usług.

Managera zgody na pliki cookie można znaleźć w banerze powiadomień i na naszej stronie internetowej. Jeśli użytkownik zdecyduje się odrzucić pliki cookie, może nadal korzystać z naszej witryny internetowej, chociaż dostęp do niektórych funkcji i obszarów naszej witryny może być ograniczony. Użytkownik może również ustawić lub zmienić ustawienia aby akceptować lub odrzucać pliki cookie.

Konkretne rodzaje plików cookie własnych i zewnętrznych obsługiwanych za pośrednictwem naszej Witryny oraz cele które wykonują, opisano w poniższej tabeli (należy pamiętać, że określone obsługiwane pliki cookie mogą różnić się w zależności od odwiedzanych usług internetowych).

Niezbędne pliki cookie witryny:

Te pliki cookie są bezwzględnie niezbędne do świadczenia usług dostępnych za pośrednictwem naszej Witryny oraz do korzystania z niektórych funkcji, takich jak dostęp do bezpiecznych obszarów.

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: es.rubix.com

Service: [JavaServer Pages Technologies View Service Privacy Policy](#)

Country: Germany

Type: http_cookie

Expires in: 23 hours 59 minutes

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: uk.rubix.com

Service: [JavaServer Pages Technologies View Service Privacy Policy](#)

Country: Germany

Type: http_cookie

Expires in: 1 day

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.



Provider: ie.rubix.com
Service: [JavaServer Pages Technologies View Service Privacy Policy](#)
Country: Germany
Type: http_cookie
Expires in: 23 hours 59 minutes

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: no.rubix.com
Service: [JavaServer Pages Technologies View Service Privacy Policy](#)
Country: Germany
Type: http_cookie
Expires in: 23 hours 59 minutes

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: fr.rubix.com
Service: [JavaServer Pages Technologies View Service Privacy Policy](#)
Country: United States
Type: http_cookie
Expires in: 23 hours 59 minutes

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: hu.rubix.com
Service: [JavaServer Pages Technologies View Service Privacy Policy](#)
Country: Germany
Type: http_cookie
Expires in: 1 day

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: se.rubix.com
Service: [JavaServer Pages Technologies View Service Privacy Policy](#)
Country: United States
Type: http_cookie
Expires in: 23 hours 59 minutes

**Name: JSESSIONID**

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: nl.rubix.com

Service: JavaServer Pages Technologies View Service Privacy Policy

Country: Germany

Type: http_cookie

Expires in: 23 hours 59 minutes

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: is.rubix.com

Service: JavaServer Pages Technologies View Service Privacy Policy

Country: United States

Type: http_cookie

Expires in: 23 hours 59 minutes

Name: _GRECAPTCHA

Purpose: Used to filter spam traffic and allow only legitimate visitors to use Termly's services.

Provider: www.google.com

Service: reCAPTCHA View Service Privacy Policy

Country: United States

Type: http_cookie

Expires in: 5 months 27 days

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: dk.rubix.com

Service: JavaServer Pages Technologies View Service Privacy Policy

Country: Germany

Type: http_cookie

Expires in: 23 hours 59 minutes

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: pl.rubix.com

Service: JavaServer Pages Technologies View Service Privacy Policy

Country: Germany

Type: http_cookie

Expires in: 23 hours 59 minutes

**Name: JSESSIONID**

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: de.rubix.com

Service: JavaServer Pages Technologies View Service Privacy Policy

Country: Germany

Type: http_cookie

Expires in: 23 hours 59 minutes

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: fi.rubix.com

Service: JavaServer Pages Technologies View Service Privacy Policy

Country: Germany

Type: http_cookie

Expires in: 23 hours 59 minutes

Name: JSESSIONID

Purpose: Used to maintain an anonymous user session by the server in Java™ 2 Platform Enterprise Edition web applications. It is a necessary cookie that expires at the end of a session.

Provider: be.rubix.com

Service: JavaServer Pages Technologies View Service Privacy Policy

Country: United States

Type: http_cookie

Expires in: 1 day

Name: __tlbcpv

Purpose: Used to record unique visitor views of the consent banner.

Provider: .termly.io

Service: Termly View Service Privacy Policy

Country: United States

Type: http_cookie

Expires in: 1 year

Analizyczne i personalizacyjne pliki cookie:

Te pliki cookie zbierają informacje, które są wykorzystywane w formie zbiorczej, aby pomóc nam zrozumieć w jaki sposób nasza Witryna jest używana lub jak skuteczne są nasze kampanie marketingowe, a także aby pomóc nam dostosować naszą Witrynę do potrzeb użytkownika.

Name: #collect



Purpose: Sends data such as visitor's behavior and device to Google Analytics. It is able to keep track of the visitor across marketing channels and devices. It is a pixel tracker type cookie whose activity lasts within the browsing session.

Provider: rubix.com

Service: Google Analytics View Service Privacy Policy

Country: United States

Type: pixel_tracker

Expires in: session

Name: _ga

Purpose: It records a particular ID used to come up with data about website usage by the user. It is a HTTP cookie that expires after 2 years.

Provider: .rubix.com

Service: Google Analytics View Service Privacy Policy

Country: _____

Type: http_cookie

Expires in: 1 year 11 months 29 days

Name: _gid

Purpose: Keeps an entry of unique ID which is then used to come up with statistical data on website usage by visitors. It is a HTTP cookie type and expires after a browsing session.

Provider: .rubix.com

Service: Google Analytics View Service Privacy Policy

Country: _____

Type: http_cookie

Expires in: 1 day

Name: _gat#

Purpose: Enables Google Analytics regulate the rate of requesting. It is a HTTP cookie type that lasts for a session.

Provider: .rubix.com

Service: Google Analytics View Service Privacy Policy

Country: _____

Type: http_cookie

Expires in: 1 minute

Reklamowe pliki cookie:

Te pliki cookie są używane w celu lepszego dopasowania komunikatów reklamowych do użytkownika.

Pełnią one funkcje, takie jak zapobieganie ciągłemu ponownemu wyświetlaniu tej samej reklamy, zapewnienie, że reklamy są wyświetlane reklamodawcom, a w niektórych przypadkach wybieranie reklam opartych na zainteresowaniach użytkownika.

Name: VISITOR_INFO1_LIVE

Purpose: YouTube is a Google-owned platform for hosting and sharing videos. YouTube collects user data through videos embedded in websites, which is aggregated with profile



data from other Google services in order to display targeted advertising to web visitors across a broad range of their own and other websites. Used by Google in combination with SID to verify Google user account and most recent login time.

Provider: .youtube.com

Service: YouTube View Service Privacy Policy

Country: United States

Type: server_cookie

Expires in: 5 months 27 days

Name: td

Purpose: Used to deliver targeted adverts to users based on browsing activity. It is a HTTP cookie.

Provider: rubix.com

Service: UnrulyX View Service Privacy Policy

Country: United States

Type: pixel_tracker

Expires in: session

Name: YSC

Purpose: YouTube is a Google-owned platform for hosting and sharing videos. YouTube collects user data through videos embedded in websites, which is aggregated with profile data from other Google services in order to display targeted advertising to web visitors across a broad range of their own and other websites. Used by Google in combination with SID to verify Google user account and most recent login time.

Provider: .youtube.com

Service: YouTube View Service Privacy Policy

Country: United States

Type: http_cookie

Expires in: session

Name: a

Purpose: Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.

Provider: rubix.com

Service: Cox Digital Solutions (Formerly Adify) View Service Privacy Policy

Country: United States

Type: pixel_tracker

Expires in: session

Name: _gcl_au

Purpose: Used by Google AdSense for experimenting with advertisement efficiency across websites using their services.

Provider: .rubix.com

Service: AdSense View Service Privacy Policy

Country: _____

Type: http_cookie

Expires in: 2 months 29 days

**Niesklasyfikowane pliki cookie:**

Są to pliki cookie, które nie zostały jeszcze skategoryzowane. Jesteśmy w trakcie klasyfikowania tych z pomocą ich dostawców.

Name: t2s-p

Purpose: _____

Provider: no.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 29 days

Name: contentdate

Purpose: _____

Provider: ie.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 6 days

Name: iphWeb-cart

Purpose: _____

Provider: fr.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: 11 months 30 days

Name: UK-cart

Purpose: _____

Provider: uk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 30 days

Name: rbx-currentUserId

Purpose: _____

Provider: dk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: rbx-apiAccessToken

Purpose: _____



Provider: is.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: t2s-rank
Purpose: _____
Provider: fi.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 14 minutes

Name: contentdate
Purpose: _____
Provider: be.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 6 days

Name: rbx-apiAccessToken
Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: t2s-rank
Purpose: _____
Provider: be.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 14 minutes

Name: cartSaved
Purpose: _____
Provider: dk.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: cartModification



Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: Rubix-T2SRank-Oldvalue

Purpose: _____
Provider: de.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: t2s-rank

Purpose: _____
Provider: de.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 14 minutes

Name: t2s-p

Purpose: _____
Provider: is.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 29 days

Name: t2s-analytics

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 29 days

Name: HU-cart

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 30 days

**Name: rbx-currentUserId**

Purpose: _____
Provider: uk.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 3 minutes

Name: Rubix-T2SRank-Oldvalue

Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: t2s-p

Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

Name: t2s-p

Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

Name: t2s-p

Purpose: _____
Provider: dk.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

Name: cartSaved

Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

**Name: ES-cart**

Purpose: _____
Provider: es.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 30 days

Name: rbx-apiAccessToken

Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: cartSaved

Purpose: _____
Provider: fi.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: t2s-rank

Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 14 minutes

Name: rbx-apiExpirationDate

Purpose: _____
Provider: no.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: Rubix-T2SRank-Oldvalue

Purpose: _____
Provider: is.rubix.com
Service: _____
Country: United States



Type: http_cookie
Expires in: session

Name: currentTab

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: Germany Type: http_cookie
Expires in: session

Name: currentTab

Purpose: _____
Provider: be.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: SE-cart

Purpose: _____
Provider: se.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 30 days

Name: Rubix-T2SRank-Oldvalue

Purpose: _____
Provider: be.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: rbx-currentUserId

Purpose: _____
Provider: be.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: contentdate

Purpose: _____
Provider: uk.rubix.com
Service: _____
Country: United States



Type: http_cookie
Expires in: 6 days

Name: cartSaved

Purpose: _____
Provider: be.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: contentdate

Purpose: _____
Provider: is.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 6 days

Name: t2s-p

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 29 days

Name: rbx-apiAccessToken

Purpose: _____
Provider: dk.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: NO-cart

Purpose: _____
Provider: no.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 30 days

Name: t2s-p

Purpose: _____
Provider: uk.rubix.com
Service: _____
Country: United States



Type: http_cookie
Expires in: 11 months 29 days

Name: contentdate

Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 6 days

Name: cartModification

Purpose: _____
Provider: pl.rubix.com
13 / 33
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: searchAlgorithm

Purpose: _____
Provider: de.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: rbx-apiExpirationDate

Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: cartModification

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: rbx-currentUserId

Purpose: _____
Provider: pl.rubix.com



Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: cartModification
Purpose: _____
Provider: es.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: nlWeb-cart
Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 30 days

Name: t2s-analytics
Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 29 days

Name: t2s-rank
Purpose: _____
Provider: uk.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 14 minutes

Name: deZWeb-cart
Purpose: _____
Provider: de.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 30 days

Name: rbx-currentUserId
Purpose: _____



Provider: nl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: rbx-apiExpirationDate

Purpose: _____
Provider: dk.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: t2s-rank

Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 14 minutes

Name: dhontWeb-cart

Purpose: _____
Provider: be.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 30 days

Name: cartSaved

Purpose: _____
Provider: no.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: cartSaved

Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: IS-cart



Purpose: _____
Provider: is.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 30 days

Name: Rubix-T2SRank-Oldvalue

Purpose: _____
Provider: se.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: cartModification

Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: rbx-currentUserId

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: currentTab

Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: cartSaved

Purpose: _____
Provider: de.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

**Name: t2s-rank**

Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 14 minutes

Name: PL-cart

Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 30 days

Name: cartSaved

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: rbx-apiAccessToken

Purpose: _____
Provider: uk.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 3 minutes

Name: contentdate

Purpose: _____
Provider: se.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 6 days

Name: t2s-p

Purpose: _____
Provider: be.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

**Name: rbx-currentUserId**

Purpose: _____
Provider: de.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: rbx-apiExpirationDate

Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: rbx-apiExpirationDate

Purpose: _____
Provider: be.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: rbx-apiAccessToken

Purpose: _____
Provider: de.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: cartModification

Purpose: _____
Provider: is.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: cartSaved

Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: Germany
Type: http_cookie



Expires in: session

Name: currentTab

Purpose: _____

Provider: es.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: session

Name: rbx-apiExpirationDate

Purpose: _____

Provider: is.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: rbx-apiAccessToken

Purpose: _____

Provider: fi.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: contentdate

Purpose: _____

Provider: es.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 6 days

Name: cartModification

Purpose: _____

Provider: fi.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: t2s-analytics

Purpose: _____

Provider: se.rubix.com

Service: _____

Country: Germany

Type: http_cookie



Expires in: 11 months 29 days

Name: cartModification

Purpose: _____

Provider: uk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: t2s-rank

Purpose: _____

Provider: no.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 14 minutes

Name: rbx-apiExpirationDate

Purpose: _____

Provider: hu.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: rbx-apiAccessToken

Purpose: _____

Provider: es.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: rbx-apiExpirationDate

Purpose: _____

Provider: uk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 3 minutes

Name: rbx-apiExpirationDate

Purpose: _____

Provider: de.rubix.com

Service: _____

Country: Germany

Type: http_cookie



Expires in: 8 hours 2 minutes

Name: t2s-p

Purpose: _____

Provider: se.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 29 days

Name: contentdate

Purpose: _____

Provider: fi.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 6 days

Name: t2s-analytics

Purpose: _____

Provider: es.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: 11 months 29 days

Name: rbx-apiAccessToken

Purpose: _____

Provider: be.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: Rubix-T2SRank-Oldvalue

Purpose: _____

Provider: es.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: rbx-currentUserId

Purpose: _____

Provider: ie.rubix.com

Service: _____

Country: Germany

Type: http_cookie



Expires in: 8 hours 2 minutes

Name: t2s-analytics

Purpose: _____

Provider: fr.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: 11 months 29 days

Name: IE-cart

Purpose: _____

Provider: ie.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: 11 months 30 days

Name: cartSaved

Purpose: _____

Provider: pl.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: cartModification

Purpose: _____

Provider: de.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: session

Name: rbx-apiExpirationDate

Purpose: _____

Provider: se.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: cartModification

Purpose: _____

Provider: se.rubix.com

Service: _____

Country: United States

Type: http_cookie



Expires in: session

Name: rbx-currentUserId

Purpose: _____

Provider: fi.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: t2s-analytics

Purpose: _____

Provider: is.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 29 days

Name: cartModification

Purpose: _____

Provider: dk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: currentTab

Purpose: _____

Provider: se.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: Rubix-T2SRank-Oldvalue

Purpose: _____

Provider: fr.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: session

Name: cartModification

Purpose: _____

Provider: no.rubix.com

Service: _____

Country: Germany

Type: http_cookie



Expires in: session

Name: contentdate

Purpose: _____

Provider: no.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 6 days

Name: didomi_token

Purpose: _____

Provider: .rubix.com

Service: _____

Country: _____

Type: http_cookie

Expires in: 6 months

Name: Rubix-T2SRank-Oldvalue

Purpose: _____

Provider: uk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: contentdate

Purpose: _____

Provider: nl.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 6 days

Name: contentdate

Purpose: _____

Provider: hu.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 6 days

Name: cartSaved

Purpose: _____

Provider: es.rubix.com

Service: _____

Country: Germany

Type: http_cookie



Expires in: session

Name: t2s-analytics

Purpose: _____

Provider: dk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 29 days

Name: Rubix-T2SRank-Oldvalue

Purpose: _____

Provider: no.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: session

Name: t2s-analytics

Purpose: _____

Provider: be.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 29 days

Name: t2s-p

Purpose: _____

Provider: fi.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 29 days

Name: cartModification

Purpose: _____

Provider: be.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: session

Name: rbx-apiAccessToken

Purpose: _____

Provider: nl.rubix.com

Service: _____

Country: Germany

Type: http_cookie



Expires in: 8 hours 2 minutes

Name: currentTab

Purpose: _____

Provider: dk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: t2s-rank

Purpose: _____

Provider: dk.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: 14 minutes

Name: FI-cart

Purpose: _____

Provider: fi.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 30 days

Name: t2s-rank

Purpose: _____

Provider: se.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 14 minutes

Name: rbx-currentUserId

Purpose: _____

Provider: es.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: datadome

Purpose: _____

Provider: .rubix.com

Service: _____

Country: _____

Type: http_cookie



Expires in: 11 months 30 days

Name: cartSaved

Purpose: _____

Provider: is.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: session

Name: currentTab

Purpose: _____

Provider: de.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: currentTab

Purpose: _____

Provider: uk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: session

Name: rbx-apiAccessToken

Purpose: _____

Provider: no.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 8 hours 2 minutes

Name: t2s-analytics

Purpose: _____

Provider: uk.rubix.com

Service: _____

Country: Germany

Type: http_cookie

Expires in: 11 months 29 days

Name: rbx-apiExpirationDate

Purpose: _____

Provider: fi.rubix.com

Service: _____

Country: Germany



Type: http_cookie
Expires in: 8 hours 2 minutes

Name: contentdate

Purpose: _____
Provider: dk.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 6 days

Name: contentdate

Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 6 days

Name: rbx-apiExpirationDate

Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: Rubix-T2SRank-Oldvalue

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: t2s-rank

Purpose: _____
Provider: es.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 14 minutes

Name: currentTab

Purpose: _____
Provider: is.rubix.com
Service: _____



Country: Germany
Type: http_cookie
Expires in: session

Name: t2s-analytics
Purpose: _____
Provider: fi.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

Name: t2s-analytics
Purpose: _____
Provider: de.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

Name: t2s-analytics
Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

Name: t2s-rank
Purpose: _____
Provider: is.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 14 minutes

Name: t2s-rank
Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 14 minutes

Name: t2s-p
Purpose: _____
Provider: es.rubix.com



Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 29 days

Name: Rubix-T2SRank-Oldvalue
Purpose: _____
Provider: dk.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: cartSaved
Purpose: _____
Provider: se.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: currentTab
Purpose: _____
Provider: no.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: rbx-currentUserId
Purpose: _____
Provider: se.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: rbx-apiExpirationDate
Purpose: _____
Provider: es.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: currentTab
Purpose: _____



Provider: fi.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: rbx-apiAccessToken
Purpose: _____
Provider: ie.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: Rubix-T2SRank-Oldvalue
Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: cartModification
Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: t2s-p
Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 29 days

Name: rbx-currentUserId
Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: Rubix-T2SRank-Oldvalue



Purpose: _____
Provider: fi.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: _greaptcha
Purpose: _____
Provider: rubix.com
Service: _____
Country: _____
Type: html_local_storage
Expires in: persistent

Name: t2s-p
Purpose: _____
Provider: de.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

Name: Rubix-T2SRank-Oldvalue
Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: t2s-analytics
Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 29 days

Name: rbx-apiAccessToken
Purpose: _____
Provider: se.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 8 hours 2 minutes

**Name: currentTab**

Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: session

Name: t2s-p

Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 29 days

Name: DK-cart

Purpose: _____
Provider: dk.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 11 months 30 days

Name: rbx-apiAccessToken

Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: currentTab

Purpose: _____
Provider: nl.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: contentdate

Purpose: _____
Provider: de.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 6 days

**Name: cartSaved**

Purpose: _____
Provider: uk.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: session

Name: rbx-apiExpirationDate

Purpose: _____
Provider: fr.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: t2s-analytics

Purpose: _____
Provider: no.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 11 months 29 days

Name: t2s-rank

Purpose: _____
Provider: hu.rubix.com
Service: _____
Country: Germany
Type: http_cookie
Expires in: 14 minutes

Name: rbx-currentUserId

Purpose: _____
Provider: no.rubix.com
Service: _____
Country: United States
Type: http_cookie
Expires in: 8 hours 2 minutes

Name: currentTab

Purpose: _____
Provider: pl.rubix.com
Service: _____
Country: United States
Type: http_cookie



Expires in: session

Name: rbx-currentUserId

Purpose: _____

Provider: is.rubix.com

Service: _____

Country: United States

Type: http_cookie

Expires in: 8 hours 2 minutes

Jak można kontrolować pliki cookie w przeglądarce?

Sposoby za pomocą których można odrzucić pliki cookie w przeglądarkach internetowych, różnią się w zależności od przeglądarki. Dlatego należy skorzystać w menu pomocy przeglądarki, aby uzyskać więcej informacji. Poniżej znajdują się informacje o tym, jak zarządzać plikami cookie w najpopularniejszych przeglądarkach:

- Chrome
- Internet Explorer
- Firefox
- Safari
- Edge
- Opera

Ponadto większość sieci reklamowych oferuje możliwość rezygnacji z reklam ukierunkowanych. Jeśli chcesz dowiedzieć się więcej, odwiedź stronę:

- Digital Advertising Alliance
- Digital Advertising Alliance of Canada
- European Interactive Digital Advertising Alliance

Co z innymi technologiami śledzenia, takimi jak sygnały nawigacyjne w sieci web?

Pliki cookie nie są jedynym sposobem rozpoznawania lub śledzenia osób odwiedzających witrynę internetową. Od czasu do czasu możemy korzystać z innych, podobnych technologii, takich jak sygnały nawigacyjne (czasami nazywane "pikselami śledzącymi" lub "czystymi gifami"). Są to niewielkie pliki graficzne zawierające unikalny identyfikator, który umożliwia nam rozpoznanie, kiedy ktoś odwiedził naszą witrynę internetową lub otworzył wiadomość e-mail zawierającą te pliki. Pozwala nam to na przykład monitorować wzorce ruchu użytkowników z jednej strony w witrynie do drugiej, dostarczać pliki cookie lub komunikować się z nimi, aby zrozumieć, czy użytkownik wszedł na stronę internetową z reklamy online wyświetlanej na stronie internetowej strony trzeciej, aby poprawić wydajność witryny i zmierzyć sukces marketingowych kampanii e-mail. W wielu przypadkach technologie te są zależne od plików cookie w celu prawidłowego funkcjonowania, a zatem odrzucenie plików cookie pogorszy ich funkcjonowanie.

Pliki cookie Flash lub Local Shared Objects

Witryny mogą również wykorzystywać tak zwane „pliki cookie flash” (znane również jako lokalne obiekty współdzielone lub „LSO”), między innymi do gromadzenia i przechowywania



informacji o korzystaniu z naszych usług, zapobiegania oszustwom i innych operacji na stronie.

Jeśli nie chcesz, aby pliki Flash Cookies były przechowywane na Twoim komputerze, możesz dostosować ustawienia odtwarzacza Flash, aby zablokować przechowywanie Flash Cookies za pomocą narzędzi zawartych w Panelu ustawień przechowywania witryny. Możesz również kontrolować pliki cookie Flash, przechodząc do Panelu globalnych ustawień przechowywania i postępując zgodnie z instrukcjami (które mogą obejmować instrukcje wyjaśniające, na przykład, jak usunąć istniejące pliki cookie Flash (określane jako „informacje” na stronie Macromedia), jak zapobiegać umieszczaniu plików Flash LSO na komputerze użytkownika bez pytania oraz (w przypadku programu Flash Player 8 i nowszych wersji) sposobu blokowania plików Flash cookie, które nie są dostarczane przez operatora strony, na której się aktualnie znajdujesz).

Należy pamiętać, że ustawienie odtwarzacza Flash Player w celu ograniczenia akceptacji plików cookie Flash może ograniczyć lub utrudnić działanie niektórych aplikacji Flash, w tym potencjalnie aplikacji Flash używanych w związku z naszymi usługami lub treściami online. Reklamy ukierunkowane Strony trzecie mogą umieszczać pliki cookie na Twoim komputerze lub urządzeniu mobilnym w celu wyświetlania reklam za pośrednictwem naszej Witryny. Firmy te mogą wykorzystywać informacje o twoich wizytach na tej i innych stronach internetowych w celu dostarczania odpowiednich reklam towarów i usług, którymi możesz być zainteresowany. Mogą również wykorzystywać technologię, która służy do pomiaru skuteczności reklam. Mogą to osiągnąć za pomocą plików cookie lub sygnałów nawigacyjnych w celu gromadzenia informacji o Twoich wizytach na tej i innych witrynach w celu wyświetlania odpowiednich reklam towarów i usług, które mogą Cię zainteresować. Informacje zebrane w ramach tego procesu nie pozwalają nam ani im zidentyfikować Twojego imienia i nazwiska, danych kontaktowych ani innych danych, które bezpośrednio Cię identyfikują, chyba że zdecydujesz się je podać.

Jak często będziemy aktualizować niniejszą Politykę plików cookie?

Od czasu do czasu możemy aktualizować niniejszą Politykę plików cookie, aby odzwierciedlić na przykład zmiany w używanych przez nas plikach cookie lub z innych powodów operacyjnych, prawnych lub regulacyjnych. W związku z tym prosimy o regularne przeglądanie niniejszej Polityki plików cookie, aby być na bieżąco z informacjami na temat korzystania przez nas z plików cookie i powiązanych technologii.

Ostatnia aktualizacja: 24 października 2022

Gdzie mogę uzyskać dalsze informacje?

Jeśli masz jakiegokolwiek pytania dotyczące korzystania przez nas z plików cookie lub innych technologii, wyślij wiadomość e-mail na adres info@rubix-group.com lub pocztą na adres:

Rubix Polska S.A.

ul. Handlowa 2a

36-100 Kolbuszowa

Tel. 17 2278 00 00

e-mail: rubix.pl@rubix.com